

The following is a general guide only, and is not intended to be either comprehensive or determinative with respect to particular surfaces. Because of the varying circumstances affecting each job, including environmental factors, surface variations and application techniques, it is the users responsibility to determine the suitability and safety of the product for any particular application. We particularly recommend that users always test in small inconspicuous areas before application to the entire surface.

| | | | |
|--|---|--|--|
| INTERIOR WOODWORK & WOOD- FLOORS | Protective Film Finish Transparent | 1st APPLICATION Choose one: - AFM Acrylac (vertical surface only) - AFM Polyureseal - TimberPro Crystal Urethane - Polywhey Floor/Furniture | done |
| | Protective Film Finish Transparent colors | 1st APPLICATION Choose one: - Bioshield Aqua Resin (1-2 coats of <i>light</i> colors. Stain and sealer in one) - AFM Durostain (1-2 coats of <i>any</i> color) - Rubio Monocoat | 2nd APPLICATION for AFM *ONLY* choose one: - AFM Acrylac (vertical surface only) - AFM Polyureseal - TimberPro Crystal Urethane - Polywhey Floor/Furniture |
| | Protective Film Finish Opaque colors | 1st APPLICATION Choose one: - Bioshield Aqua Resin Accent Colors (2 + coats dark colors) - AFM Durostain (3 –5 coats of <i>any</i> color) - Rubio Monocoat(dark colors) | 2nd APPLICATION for AFM *ONLY* choose one: - AFM Acrylac (vertical surface only) - AFM Polyureseal - TimberPro Crystal Urethane - Polywhey Floor/Furniture |
| | Wax Finish Waxed wood look | 1st APPLICATION Choose one: - AFM Oil Wax Finish - Bioshield Hard Oil - Rubio Monocoat Pure | 2nd APPLICATION - Bioshield Floor & Furniture Hardwax |
| | Oil Finish Oiled wood look | 1st APPLICATION Choose one: - AFM Clear Penetrating Oil - Bioshield Hard Oil - Rubio Monocoat PUre | done |
| INTERIOR COUNTER- TOPS & CUT- TING BOARDS | Sealer | 1st APPLICATION Choose one: - Paperstone Natural Finish - Bioshield Herbal Oil - Block Oil | done |
| | Maintenance | 1st APPLICATION Choose one: - Paperstone Rejuvenator - Block Oil | done |

The following is a general guide only, and is not intended to be either comprehensive or determinative with respect to particular surfaces. Because of the varying circumstances affecting each job, including environmental factors, surface variations and application techniques, it is the users responsibility to determine the suitability and safety of the product for any particular application. We particularly recommend that users always test in small inconspicuous areas before application to the entire

| | | | |
|---|--|---|---|
| EXTERIOR WOOD - WORK Decks Fences Sheds Pergolas | Protective Film Finish transparent | 1st APPLICATION Choose one: - TimberPro Clean & Brite (for graying wood) | 2nd APPLICATION Choose one: - TimberPro Deck <i>without</i> color pack |
| | Protective Film Finish color | 1st APPLICATION Choose one: - TimberPro Clean & Brite (for graying wood) | 2nd APPLICATION Choose one: - Timber Tek Pro Deck <i>with</i> color pack |
| | Oil Finish Oiled wood look | 1st APPLICATION Choose one: - TimberPro Clean & Brite (for graying wood) | 2nd APPLICATION Choose one: - AFM Clear Penetrating Oil - Soy Guard - Monocoat Exterior |
| | Protecting Wood In Ground Contact | 1st APPLICATION Choose one: - AFM Water Shield - TimberPro Internal Wood Stabilizer - Soy Guard | done |
| CONCRETE & MASONRY | Protective Film Finish color | 1st APPLICATION Choose one: - Clean with AFM Super Clean - Eco ProCote Soy Concrete Stain | 2nd APPLICATION Choose one: - AFM Mexeseal - Polywhey Floor Finish - Bioshield Hard Wax |
| | Protective Film Finish transparent | 1st APPLICATION Choose one: - AFM Mexeseal - AFM Water Stop - AFM Watershield - TimberPro Internal Concrete Stabilizer | 2nd APPLICATION Choose one: - AFM Mexeseal - Polywhey Floor Finish - Bioshield Hard Wax |
| FOUNDATIONS | Protective Film Finish transparent | 1st APPLICATION Choose one: - AFM Water Stop - AFM Watershield - TimberPro Internal Concrete Stabilizer | done |

The following is a general guide only, and is not intended to be either comprehensive or determinative with respect to particular surfaces. Because of the varying circumstances affecting each job, including environmental factors, surface variations and application techniques, it is the users responsibility to determine the suitability and safety of the product for any particular application. We particularly recommend that users always test in small inconspicuous areas before application to the entire

| | | | |
|--|------------------------|--|---|
| STRIPPING | Varnish | 1st APPLICATION Choose one: – TimberPro Strip & Brite (deck) – Smart Strip | 2nd APPLICATION Choose one: – Napier Removall T.S.P. Substitute – Timber Pro Clean & Brite |
| | Paint | 1st APPLICATION Choose one: – Smart Strip | 2nd APPLICATION Choose one: – Napier Removall T.S.P. Substitute |
| | Wax | 1st APPLICATION Choose one: – Bioshield Wax Remover | done |
| METAL | Paint | 1st APPLICATION Choose one: – AFM Metal Primer – AP Multi-Purpose Primer | 2nd APPLICATION Choose one: – Interior or Exterior Paint |
| CARPET | Clean, Protect, & Seal | 1st APPLICATION Choose one: – AFM Carpet Shampoo* – ORBECO Carpet Cleaner *Not for use with wool carpets* | 2nd APPLICATION Choose one: – Carpet Seal 3rd APPLICATION Choose one: – Lock Out |
| STOP OFF GASSING | Sealer | 1st APPLICATION Choose one: – Safe Seal (wood) – Hard Seal | done |
| INTERIOR CLEANING & MAINTAINING | Brushes, water-based | 1st APPLICATION Choose one: – Warm water, mild soap or detergent | done |
| | Brushes, oil-based | 1st APPLICATION Choose one: – AFM Diluting Reducer – Bioshield Citrus Thinner | |
| | General | 1st APPLICATION Choose one: – AFM Super Clean (AFM Safety Clean) – Mold Avenger | done |
| | Wood Floors | 1st APPLICATION Choose one: – Bioshield Floor Milk – Bioshield Floor Soap | 2nd APPLICATION Choose one: Rubio Raw wood Cleaner – Satin & Natural Soap |